




Accessories

ON/OFF switch controlled Complete with inner wiring Easy to access and maintenance Noise:47db (lower noise is optional) A fan provide 2.3m3/min. Air removal, CFM:80 Colour: Ra17035 white or Ra19005 black		Air Removals / Cooling Units - Control: ON/OFF switch													
Order No	Product Definition	Dimensions	Picture	Compatibility											
M11 F1F	Fan 220vac, with 2m. Cable	120*120*37		UNIVERSALine	ServerMAX	ECOline	ECOline Server	EUROline	Diamond	RELATrack	SYSTEMack	PROLINE	SOHOline19"	SOHOline10"	SOHO Slimline
M11 HV1F W	Cooling unit with 1 fan + on/off switch controlled, suitable for wall mounting, ecoline and euroline cabinets	350*190*44													
M11 HV2F W	Cooling unit with 2 fan + on/off switch controlled, suitable for wall mounting, ecoline and euroline cabinets	350*190*44													
M11 HV4F W	Cooling unit with 4 fan + on/off switch controlled, suitable for wall mounting, ecoline and euroline cabinets	340*410*44													
M44 HV1F	Cooling unit with 1 fan + on/off switch controlled, suitable for Universalline cabinets	440*400*65													
M44 HV2F	Cooling unit with 2 fan + on/off switch controlled, suitable for Universalline cabinets	440*400*65													
M44 HV4F	Cooling unit with 4 fan + on/off switch controlled, suitable for Universalline cabinets	440*400*65													
M55 HV4F S	Cooling unit with 4 fan + on/off switch controlled, suitable for ServerMAX cabinets	380*520*45													
M55 HV6F S	Cooling unit with 6 fan + on/off switch controlled, suitable for ServerMAX cabinets	380*520*45													
M44 DIA2F	Cooling unit with 2 fan + on/off switch controlled, suitable for Diamond cabinets	417*450*45													
M44 DIA4F	Cooling unit with 4 fan + on/off switch controlled, suitable for Diamond cabinets	417*450*45													
E44 HV2F	19" 1U rack mount cooling unit with 2 fans + on/off switch controlled	483*150*44													
E44 HV4F	19" 1U rack mount cooling unit with 4 fans + on/off switch controlled	483*300*44													

Accessories

Air Removals / Cooling Units - Thermostat controlled										
Order No	Product Definition	Dimensions	Picture	Compatibility						
	Thermostat - air temperature controller. Range:0-35degree. Below set point, fans does not activated. Above set point fan units start ventilation. Complete with inner wiring. Fans itself are CE certified. Easy to access and maintenance. Noise:47db (lower noise is optional). A fan provide 2.3m3/min. Air removal, CFM:80. Colour: Ra17035 white or Ra18005 black.			ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M11HV1FWT	Cooling unit with 1 fan + thermostat controlled, suitable for wall mounting, ecoline and euroline cabinets	350*190*44		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M11HV2FWT	Cooling unit with 2 fan + thermostat controlled, suitable for wall mounting, ecoline and euroline cabinets	350*190*44		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M11HV4FWT	Cooling unit with 4 fan + thermostat controlled, suitable for wall mounting, ecoline and euroline cabinets	340*410*44		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M44HV1F T	Cooling unit with 1 fan + thermostat controlled, suitable for Universalline cabinets	440*400*65		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M44HV2F T	Cooling unit with 2 fan + thermostat controlled, suitable for Universalline cabinets	440*400*65		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M44HV4F T	Cooling unit with 4 fan + thermostat controlled, suitable for Universalline cabinets	440*400*65		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M44HV2FT48	Cooling unit with 2 fan + thermostat controlled, suitable for Universalline cabinets, 48VDC	440*400*65		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M44HV4FT48	Cooling unit with 4 fan + thermostat controlled, suitable for Universalline cabinets, 48VDC	440*400*65		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M55HV4FST	Cooling unit with 4 fan + thermostat controlled, suitable for ServerMAX cabinets	380*520*45		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M55HV6FST	Cooling unit with 6 fan + thermostat controlled, suitable for ServerMAX cabinets	380*520*45		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M44DIA2FT	Cooling unit with 2 fan + thermostat controlled, suitable for Diamond cabinets	417*450*45		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
M44DIA4FT	Cooling unit with 4 fan + thermostat controlled, suitable for Diamond cabinets	417*450*45		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
E44HV2FT	19" 1U rack mount cooling unit with 2 fans + thermostat controlled	483*150*44		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX
E44HV4FT	19" 1U rack mount cooling unit with 4 fans + thermostat controlled	483*300*44		UNIVERSALine	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX	ServerMAX



Accessories

AIR REMOVALS/ Cooling Units - Digital Thermostat Controlled		UNIVERSALine	ServerMAX	ECOline	ECOline Server	Diamond	RELA Yrack	SYSTEMrack	PROLINE	SOHOline19"	SOHOline10"
<p>DIGITAL THERMOSTAT Control Unit: 1U, 19", possible to mount any location in the cabinet as rack mount. Easy to connect with IEC320 connection cord to fan unit. Range:0-35degree, Below set point, fans does not activated. Above set point fan units start ventilation. Complete with inner wiring. Fans itself are CE certified. Easy to access and maintenance. Noise:47db (lower noise is optional) A fan provide 2.3m3/min. Air removal. CFM:80 Colour: Rai7035 white or Rai9005 black</p>											
M11HV1FWDT	Cooling unit with 1 fan + DIGITAL thermostat controlled, suitable for wall mounting, ecoline and euroline cabinets	350*190*44+ 1U 19" device			X				X		
M11HV2FWDT	Cooling unit with 2 fan + DIGITAL thermostat controlled, suitable for wall mounting, ecoline and euroline cabinets	350*190*44+ 1U 19" device			X				X		
M11HV4FWDT	Cooling unit with 4 fan + DIGITAL thermostat controlled, suitable for wall mounting, ecoline and euroline cabinets	340*410*44+ 1U 19" device			X						
M44HV1FDT	Cooling unit with 1 fan + DIGITAL thermostat controlled, suitable for Universalline cabinets	440*400*65+ 1U 19" device	X								
M44HV2FDT	Cooling unit with 2 fan + DIGITAL thermostat controlled, suitable for Universalline cabinets	440*400*65+ 1U 19" device	X								
M44HV4FDT	Cooling unit with 4 fan + DIGITAL thermostat controlled, suitable for Universalline cabinets	440*400*65+ 1U 19" device	X								
M55HV4FSDT	Cooling unit with 4 fan + DIGITAL thermostat controlled, suitable for ServerMAX cabinets	380*520*45+ 1U 19" device									
M55HV6FSDT	Cooling unit with 6 fan + DIGITAL thermostat controlled, suitable for ServerMAX cabinets	380*520*45+ 1U 19" device	X								
M44DIA2FDT	Cooling unit with 2 fan + DIGITAL thermostat controlled, suitable for Diamond cabinet	417*450*45+ 1U 19" device				X					
M44DIA4FDT	Cooling unit with 4 fan + DIGITAL thermostat controlled, suitable for Diamond cabinets	417*450*45+ 1U 19" device				X					
E44HV2FDT	19" 1U rack mount cooling unit with 2 fans + DIGITAL thermostat controlled	483*150*44+ 1U 19" device	X	X	X	X	X	X	X	X	X
E44HV4FDT	19" 1U rack mount cooling unit with 4 fans + DIGITAL thermostat controlled	483*300*44+ 1U 19" device	X	X	X	X	X	X	X	X	X