

Accessories

Fixed Shelves

4fixing points fit at the sides of rear and front 19" mounting angles
 Suitable with ESTAP 19" profiles
 Vented
 Load carrying capacity: 50kg.
 Material: Sheet steel
 Colour: Ra7035 white or Ra19005 black



Order No	Product Definition	Dimensions	Compatibility
M44SBR60	Fixed shelf, vented, enclosure depth=600mm.	465*345*30	UNIVERSALine Server MAX ECOline ECOline Server EUROline Diamond RELAYrack SYSTEMrack PROLINE SOHOline19" SOHOline10"
M44SBR80	Fixed shelf, vented, enclosure depth=800mm.	465*525*30	
M44SBR100	Fixed shelf, vented, enclosure depth=1000mm.	465*745*30	

1U 19" Rack mount Shelves

19" rack mount
 Vented
 Easy to fix
 Load carrying capacity: 50kg.
 Material: Sheet steel
 Colour: Ra7035 white or Ra19005 black



Order No	Product Definition	Dimensions	Compatibility
E44RAK20	19" 1U Rack Mount Shelf depth=200mm.	483*200*44	UNIVERSALine Server MAX ECOline ECOline Server EUROline Diamond RELAYrack SYSTEMrack PROLINE SOHOline19" SOHOline10"
E44RAK25	19" 1U Rack Mount Shelf depth=250mm.	483*250*44	
E44RAK30	19" 1U Rack Mount Shelf depth=300mm.	483*300*44	
E44RAK40	19" 1U Rack Mount Shelf depth=400mm.	483*400*44	


2U 19" Rack Mount Shelves

19" rack mount
 Vented
 Easy to fix
 Load carrying capacity: 25kg.
 Material: Sheet steel
 Colour: Ra7035 white or Ra19005 black



Order No	Product Definition	Dimensions	Compatibility
E44RAK35	19" 2U Rack Mount Shelf depth= 350mm.	483*370*88	UNIVERSALine Server MAX ECOline ECOline Server EUROline Diamond RELAYrack SYSTEMrack PROLINE SOHOline19" SOHOline10"
E44RAK55	19" 2U Rack Mount Shelf depth= 550mm.	483*550*88	
E44RAK70	19" 2U Rack Mount Shelf depth= 740mm.	483*740*88	

Accessories

Sliding Shelves	
<p>4 fixing points fit at the sides or rear and front 19" mounting angles Suitable with ESTAP 19" profiles Vented Load carrying capacity: 25kg. Material: Sheet steel Colour: Ra7035 white or Ra9005 black</p>	
	
Order No	Product Definition
M44HRK60	Sliding Shelf vented enclosure depth=600mm
M44HRK80	Sliding Shelf vented enclosure depth=800mm
	Dimensions
	465*345*30
	465*525*30
	Compatibility
	UNIVERSALine
	Server MAX
	ECOline
	ECOline Server
	EUROline
	Diamond
	RELATrack
	SYSTEMack
	PROLINE
	SOHOline19"
	SOHOline10"

Sliding Shelf - Heavy Duty Type Rack Mount (19" front - 19" rear)	
<p>4 fixing points fit at the sides or rear and front 19" mounting angles Vented Load carrying capacity: 65kg. Material: Sheet steel Colour: Ra7035 white or Ra9005 black</p>	
	
Order No	Product Definition
M65 HR720	19" Sliding shelf, vented, heavy duty type, complete with rear cable management system, enclosure depth=1000mm.
	Dimensions
	483*720*50
	Compatibility
	UNIVERSALine
	Server MAX
	ECOline
	ECOline Server
	EUROline
	Diamond
	RELATrack
	SYSTEMack
	PROLINE
	SOHOline19"
	SOHOline10"

Slide Rails	
<p>Slide rails are designed to support heavy 19" devices by mounting to the 19" mounting angles at the sides. Easy for mounting 3 different depth Load carrying capacity: 100kg. Material: Sheet steel Cover: Galvanised</p>	
	
Order No	Product Definition
M44RLD60	L type support slide rail, enclosure depth=600mm.
M44RLD80	L type support slide rail, enclosure depth=800mm.
M44RLD100	L type support slide rail, enclosure depth=1000mm.
	Dimensions
	330*60*44
	490*60*44
	730*65*44
	Compatibility
	UNIVERSALine
	Server MAX
	ECOline
	ECOline Server
	EUROline
	Diamond
	RELATrack
	SYSTEMack
	PROLINE
	SOHOline19"
	SOHOline10"